



The Premier Laboratory Refrigerators are also purpose built for critical cold storage applications, but where built-in data logging functionality may not be a necessity.

The all-new temperature display and alarm module offers an array of robust security features with a monitoring and alarm system that is 100% independent of a microprocessor temperature controller.

Large, Bi-color LED sample temperature display and alarm.



ABT-12S

ABT-16S

ABT-36S

Model	Cu. Ft.	Defrost	Doors	Shelves	W"	D"	H"	RL	H.P.	Amps
ABT-HC-12S	12	Cycle	1 Swing Solid	3 Adj	25	29 3/4	63 3/4	R134a	3/8	6
ABT-16S	16	Cycle	1 Swing Solid	3 Adj	25	29 3/4	77	R134a	3/8	6
ABT-23S	23	Cycle	1 Swing Solid	4 Adj	26 7/8	34 3/4	79 3/4	R134a	3/8	6
ABT-HC-26S	26	Cycle	1 Swing Solid	4 Adj	28 3/8	36 1/2	79 3/4	R134a	3/8	6
ABT-36S	36	Cycle	2 Swing Solid	8 Adj	39 5/8	34 3/4	79 3/4	R134a	1/2	9
ABT-49S	49	Cycle	2 Swing Solid	8 Adj	54	34 3/4	79 3/4	R134a	1/2	7
ABT-HC-72S	72	Cycle	3 Swing Solid	12 Adj	81	34	79 3/4	R134a	3/4	10

- Swivel Casters (adds 4" to height)
- Heavy duty door handle
- LED interior lights are safety shielded and switch controlled
- Casters with footed brake
- probe access port (3/8")
- White powder-coated steel exterior and interior
- CFC-free refrigerant (R134a), foam insulation and packaging

- Two year parts and labor warranty, plus an additional three compressor parts warranty
- Quality certified with 100% unit temperature testing
- Cycle defrost
- UL/C-UL listed