

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 07/15/2014 Version: 1.0

	substance/mixture and of the company/undertaking
	. Mistore
Product form	: Mixture
Product name	: Ammonium Acetate Buffer for Iron
Product code	: LC10985
Formula	: ASTM D1068-96, TAPPI T613 cm-01
1.2. Relevant identified uses of the s	ubstance or mixture and uses advised against
Use of the substance/mixture	: For laboratory and manufacturing use only.
1.3. Details of the supplier of the saf	ety data sheet
LabChem Inc Jackson's Pointe Commerce Park Building 1 Zelienople, PA 16063 - USA T 412-826-5230 - F 724-473-0647 info@labchem.com	000, 1010 Jackson's Pointe Court
1.4. Emergency telephone number	
Emergency number	: CHEMTREC: 1-800-424-9300 or 011-703-527-3887
SECTION 2: Hazards identificatio	n
2.1. Classification of the substance	
GHS-US classification	
Skin Irrit. 2 H315 Eye Irrit. 2A H319	
2.2. Label elements	
GHS-US labelling	
	GHS07
Signal word (GHS-US)	: Warning
Hazard statements (GHS-US)	: H315 - Causes skin irritation H319 - Causes serious eye irritation
Precautionary statements (GHS-US)	<ul> <li>P264 - Wash exposed skin thoroughly after handling P280 - Wear protective gloves, eye protection P302+P352 - IF ON SKIN: Wash with plenty of soap and water P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove conta lenses, if present and easy to do. Continue rinsing P332+P313 - If skin irritation occurs: Get medical advice/attention P337+P313 - If eye irritation persists: Get medical advice/attention P362 - Take off contaminated clothing and wash before reuse</li> </ul>
2.3. Other hazards	
Other hazards not contributing to the classification	: None under normal conditions.
2.4. Unknown acute toxicity (GHS-US No data available	S)
SECTION 3: Composition/informa	ation on ingredients
3.1. Substance	
Not applicable	
3.2. Mixture	
07/15/2014	EN (English) Page

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Name	Product identifier	%	GHS-US classification
Water	(CAS No) 7732-18-5	70.02	Not classified
Acetic Acid	(CAS No) 64-19-7	20.43	Flam. Liq. 3, H226 Skin Corr. 1B, H314 Eye Dam. 1, H318
Ammonium Acetate	(CAS No) 631-61-8	9.55	Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335 Aquatic Acute 3, H402

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Assure fresh air breathing. Allow the victim to rest.
First-aid measures after skin contact	: Wash with plenty of soap and water. Wash contaminated clothing before reuse. If skin irritation occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.
4.2. Most important symptoms and eff	ects, both acute and delayed
Symptoms/injuries after skin contact	: Causes skin irritation.
Symptoms/injuries after eye contact	: Causes serious eye irritation.
Symptoms/injuries after ingestion	: Nausea. Vomiting. Diarrhoea.
Chronic symptoms	: Cracking of the skin. Coughing. Inflammation/damage of the eye tissue.
4.3. Indication of any immediate media	cal attention and special treatment needed
Obtain medical assistance.	
SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Foam. Dry powder. Carbon dioxide. Water spray. Sand.
Unsuitable extinguishing media	: Do not use a heavy water stream.
5.2. Special hazards arising from the s	substance or mixture
No additional information available	
	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any
Firefighting instructions	chemical fire. Prevent fire-fighting water from entering environment.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.
SECTION 6: Accidental release me	asures
6.1. Personal precautions, protective e	equipment and emergency procedures
6.1.1. For non-emergency personnel	
Protective equipment	: Safety glasses. Protective clothing. Gloves.
Emergency procedures	: Evacuate unnecessary personnel.
6.1.2. For emergency responders	
Second	: Equip cleanup crew with proper protection.
Protective equipment	
Emergency procedures	: Ventilate area.
6.2. Environmental precautions	
	tify authorities if liquid enters sewers or public waters.
6.3. Methods and material for contain	5
Methods for cleaning up	: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.
6.4. Reference to other sections	
See Heading 8. Exposure controls and person	al protection.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour.
Hygiene measures	: Wash exposed skin thoroughly after handling.
7.2. Conditions for safe storage, includin	g any incompatibilities
Storage conditions	: Keep container closed when not in use.
Incompatible products	: Strong oxidizers. Strong bases. Strong acids.
Incompatible materials	: Sources of ignition. Direct sunlight.

#### 7.3. Specific end use(s) No additional information available

### SECTION 8: Exposure controls/personal protection

8.1. Control parameters

# Acetic Acid (64-19-7) USA ACGIH ACGIH TWA (ppm) 10 ppm USA ACGIH ACGIH STEL (ppm) 10 ppm USA OSHA OSHA PEL (TWA) (mg/m³) 25 mg/m³ USA OSHA OSHA PEL (TWA) (ppm) 10 ppm

8.2. Exposure controls	
Appropriate engineering controls	: Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure adequate ventilation.
Personal protective equipment	: Avoid all unnecessary exposure.
Hand protection	: Wear protective gloves.
Eye protection	: Chemical goggles or safety glasses.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	: Wear appropriate mask.
Other information	: Do not eat, drink or smoke during use.

#### **SECTION 9: Physical and chemical properties**

. .

9.1. Information on basic physical and	I chemical properties
Physical state	: Liquid
Colour	: Colourless
Odour	: characteristic
Odour threshold	: No data available
рН	: 3-6
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Solubility	: Water: Solubility in water of component(s) of the mixture : • Acetic Acid: Complete
Log Pow	: No data available
Log Kow	: No data available

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

	· · · · · · · · · · · · · · · · · · ·	
Viscosity,	kinematic	: No data available
Viscosity,	dynamic	: No data available
Explosive	properties	: No data available
Oxidising	properties	: No data available
Explosive	limits	: No data available
9.2.	Other information	
	onal information available	
SECTIC	ON 10: Stability and reactivity	
	Reactivity	
No additio	onal information available	
10.2. Chemical stability		
Stable une	der normal conditions.	
10.3.	Possibility of hazardous reactions	
Not estab	lished.	
10.4.	Conditions to avoid	
Direct sur	light. Extremely high or low temperature	es.
10.5.	Incompatible materials	
	idizers. Strong acids. Strong bases.	
10.6.	Hazardous decomposition products	
	ammonia. fume. Carbon monoxide. Ca	
OFOTIO		
SEC IU	N 11: Toxicological informati	

SECI	ION TT	: IOXIC	ologic	al II	по	ormation	

11.1. Information on toxicological effects

Acute	toxicity
-------	----------

: Not classified

Water (7732-18-5)	
LD50 oral rat	≥ 90000 mg/kg
ATE US (oral)	90000.0000000 mg/kg bodyweight
Skin corrosion/irritation	: Causes skin irritation.
	pH: 3 - 6
Serious eye damage/irritation	: Causes serious eye irritation.
	pH: 3 - 6
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: Not classified
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified
Potential adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.
Symptoms/injuries after skin contact	: Causes skin irritation.
Symptoms/injuries after eye contact	: Causes serious eye irritation.
Symptoms/injuries after ingestion	: Nausea. Vomiting. Diarrhoea.
Chronic symptoms	: Cracking of the skin. Coughing. Inflammation/damage of the eye tissue.

SECTIO	ON 12: Ecological information	
12.1.	Toxicity	
12.1.	Toxicity	

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Ammonium Acetate (631-61-8)	
LC50 fishes 1	1.06 mg/l
LC50 other aquatic organisms 1	238 mg/l
Acetic Acid (64-19-7)	
LC50 fishes 1	75 mg/l (96 h; Lepomis macrochirus)
EC50 Daphnia 1	47 mg/l (24 h; Daphnia magna; Not neutralized)
EC50 other aquatic organisms 1	> 5000 mg/l (5 h; Activated sludge)
LC50 fish 2	94 mg/l (96 h; Oryzias latipes)
EC50 Daphnia 2	95 mg/l (24 h; Daphnia magna; Static system)
TLM fish 1	100 ppm (96 h; Carassius auratus)
Threshold limit algae 1	90 mg/l (192 h; Microcystis aeruginosa; Neutralized)
Threshold limit algae 2	4000 mg/l (192 h; Scenedesmus quadricauda; Neutralized)
12.2. Persistence and degradability	
Ammonium Acetate Buffer for Iron	
Persistence and degradability	Not established.
Ammonium Acotato (621-61-8)	
Ammonium Acetate (631-61-8) Persistence and degradability	Not established.
<b>,</b>	
Acetic Acid (64-19-7)	
Persistence and degradability	Readily biodegradable in water. Inherently biodegradable. Biodegradable in the soil.
Biochemical oxygen demand (BOD)	0.6 - 0.74 g O /g substance
Chemical oxygen demand (COD)	1.03 g O /g substance
ThOD	1.07 g O /g substance
BOD (% of ThOD)	0.56 - 0.69 % ThOD
Water (7732-18-5)	
Persistence and degradability	Not established.
12.3. Bioaccumulative potential	
Ammonium Acetate Buffer for Iron	
Bioaccumulative potential	Not established.
·	
Ammonium Acetate (631-61-8) Log Pow	-2.79
Bioaccumulative potential	Not established.
•	Not established.
Acetic Acid (64-19-7)	
Log Pow	-0.31 (Experimental value)
Bioaccumulative potential	Bioaccumulation: not applicable.
Water (7732-18-5)	
Bioaccumulative potential	Not established.
12.4. Mobility in soil	
Acotic Acid (64.10.7)	
Acetic Acid (64-19-7) Surface tension	0.028 N/m (20 °C)
12.5. Other adverse effects	
Effect on ozone layer	: No additional information available
Effect on the global warming	: No known ecological damage caused by this product.
Other information	: Avoid release to the environment.
SECTION 12: Dispessel considered	tions
SECTION 13: Disposal considerat	
13.1. Waste treatment methods	
Waste disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations.
Ecology - waste materials	: Avoid release to the environment.

ECTION 14: Transport information	
accordance with DOT	
ot regulated for transport	
dditional information	
ther information	: No supplementary information available.
DR	
ransport document description	:
ransport by sea o additional information available	
<b>ir transport</b> o additional information available	
ECTION 15: Regulatory information	
5.1. US Federal regulations	
Ammonium Acetate Buffer for Iron	
SARA Section 311/312 Hazard Classes	Immediate (acute) health hazard
All components of this product are listed, or exclusion Substances Control Act (TSCA) inventory	uded from listing, on the United States Environmental Protection Agency Toxic
	porting requirements of section 313 of Title III of the Superfund Amendments and 72.
Reauthorization Act of 1986 and 40 CFR Part 37 Ammonium Acetate (631-61-8) RQ (Reportable quantity, section 304 of EPA's	
Reauthorization Act of 1986 and 40 CFR Part 37 Ammonium Acetate (631-61-8)	72.
Reauthorization Act of 1986 and 40 CFR Part 37 Ammonium Acetate (631-61-8) RQ (Reportable quantity, section 304 of EPA's List of Lists) : SARA Section 311/312 Hazard Classes	72. 5000 lb
Reauthorization Act of 1986 and 40 CFR Part 37 Ammonium Acetate (631-61-8) RQ (Reportable quantity, section 304 of EPA's List of Lists) :	5000 lb Immediate (acute) health hazard
Reauthorization Act of 1986 and 40 CFR Part 37 Ammonium Acetate (631-61-8) RQ (Reportable quantity, section 304 of EPA's List of Lists) : SARA Section 311/312 Hazard Classes Acetic Acid (64-19-7)	5000 lb Immediate (acute) health hazard
Reauthorization Act of 1986 and 40 CFR Part 37 Ammonium Acetate (631-61-8) RQ (Reportable quantity, section 304 of EPA's List of Lists) : SARA Section 311/312 Hazard Classes Acetic Acid (64-19-7) Not listed on the United States SARA Section 31 RQ (Reportable quantity, section 304 of EPA's	5000 lb Immediate (acute) health hazard
Reauthorization Act of 1986 and 40 CFR Part 37 Ammonium Acetate (631-61-8) RQ (Reportable quantity, section 304 of EPA's List of Lists) : SARA Section 311/312 Hazard Classes Acetic Acid (64-19-7) Not listed on the United States SARA Section 31 RQ (Reportable quantity, section 304 of EPA's List of Lists) : 5.2. International regulations ANADA	5000 lb Immediate (acute) health hazard
Reauthorization Act of 1986 and 40 CFR Part 37 Ammonium Acetate (631-61-8) RQ (Reportable quantity, section 304 of EPA's List of Lists) : SARA Section 311/312 Hazard Classes Acetic Acid (64-19-7) Not listed on the United States SARA Section 31 RQ (Reportable quantity, section 304 of EPA's List of Lists) : 5.2. International regulations ANADA Ammonium Acetate Buffer for Iron	5000 lb Immediate (acute) health hazard 13 5000 lb
Reauthorization Act of 1986 and 40 CFR Part 37 Ammonium Acetate (631-61-8) RQ (Reportable quantity, section 304 of EPA's List of Lists) : SARA Section 311/312 Hazard Classes Acetic Acid (64-19-7) Not listed on the United States SARA Section 31 RQ (Reportable quantity, section 304 of EPA's List of Lists) : 5.2. International regulations ANADA	5000 lb Immediate (acute) health hazard
Reauthorization Act of 1986 and 40 CFR Part 37 Ammonium Acetate (631-61-8) RQ (Reportable quantity, section 304 of EPA's List of Lists) : SARA Section 311/312 Hazard Classes Acetic Acid (64-19-7) Not listed on the United States SARA Section 31 RQ (Reportable quantity, section 304 of EPA's List of Lists) : 5.2. International regulations ANADA Ammonium Acetate Buffer for Iron WHMIS Classification Ammonium Acetate (631-61-8)	5000 lb Immediate (acute) health hazard 13 5000 lb Class D Division 2 Subdivision B - Toxic material causing other toxic effects
Reauthorization Act of 1986 and 40 CFR Part 37 Ammonium Acetate (631-61-8) RQ (Reportable quantity, section 304 of EPA's List of Lists) : SARA Section 311/312 Hazard Classes Acetic Acid (64-19-7) Not listed on the United States SARA Section 31 RQ (Reportable quantity, section 304 of EPA's List of Lists) : 5.2. International regulations ANADA Ammonium Acetate Buffer for Iron WHMIS Classification Ammonium Acetate (631-61-8) Listed on the Canadian DSL (Domestic Sustance	5000 lb Immediate (acute) health hazard 13 5000 lb Class D Division 2 Subdivision B - Toxic material causing other toxic effects es List)
Reauthorization Act of 1986 and 40 CFR Part 37 Ammonium Acetate (631-61-8) RQ (Reportable quantity, section 304 of EPA's List of Lists) : SARA Section 311/312 Hazard Classes Acetic Acid (64-19-7) Not listed on the United States SARA Section 31 RQ (Reportable quantity, section 304 of EPA's List of Lists) : 5.2. International regulations ANADA Ammonium Acetate Buffer for Iron WHMIS Classification Ammonium Acetate (631-61-8)	5000 lb Immediate (acute) health hazard 13 5000 lb Class D Division 2 Subdivision B - Toxic material causing other toxic effects
Reauthorization Act of 1986 and 40 CFR Part 37 Ammonium Acetate (631-61-8) RQ (Reportable quantity, section 304 of EPA's List of Lists) : SARA Section 311/312 Hazard Classes Acetic Acid (64-19-7) Not listed on the United States SARA Section 31 RQ (Reportable quantity, section 304 of EPA's List of Lists) : 5.2. International regulations ANADA Ammonium Acetate Buffer for Iron WHMIS Classification Ammonium Acetate (631-61-8) Listed on the Canadian DSL (Domestic Sustance	5000 lb Immediate (acute) health hazard 13 5000 lb Class D Division 2 Subdivision B - Toxic material causing other toxic effects es List)
Reauthorization Act of 1986 and 40 CFR Part 37 Ammonium Acetate (631-61-8) RQ (Reportable quantity, section 304 of EPA's List of Lists) : SARA Section 311/312 Hazard Classes Acetic Acid (64-19-7) Not listed on the United States SARA Section 31 RQ (Reportable quantity, section 304 of EPA's List of Lists) : 5.2. International regulations ANADA Ammonium Acetate Buffer for Iron WHMIS Classification Ammonium Acetate (631-61-8) Listed on the Canadian DSL (Domestic Sustance WHMIS Classification Acetic Acid (64-19-7)	5000 lb         Immediate (acute) health hazard         13         5000 lb         Class D Division 2 Subdivision B - Toxic material causing other toxic effects         es List)         Class D Division 2 Subdivision B - Toxic material causing other toxic effects
Reauthorization Act of 1986 and 40 CFR Part 37 Ammonium Acetate (631-61-8) RQ (Reportable quantity, section 304 of EPA's List of Lists) : SARA Section 311/312 Hazard Classes Acetic Acid (64-19-7) Not listed on the United States SARA Section 31 RQ (Reportable quantity, section 304 of EPA's List of Lists) : 5.2. International regulations ANADA Ammonium Acetate Buffer for Iron WHMIS Classification Ammonium Acetate (631-61-8) Listed on the Canadian DSL (Domestic Sustance WHMIS Classification	5000 lb         Immediate (acute) health hazard         13         5000 lb         Class D Division 2 Subdivision B - Toxic material causing other toxic effects         es List)         Class D Division 2 Subdivision B - Toxic material causing other toxic effects
Reauthorization Act of 1986 and 40 CFR Part 37 Ammonium Acetate (631-61-8) RQ (Reportable quantity, section 304 of EPA's List of Lists) : SARA Section 311/312 Hazard Classes Acetic Acid (64-19-7) Not listed on the United States SARA Section 31 RQ (Reportable quantity, section 304 of EPA's List of Lists) : 5.2. International regulations ANADA Ammonium Acetate Buffer for Iron WHMIS Classification Ammonium Acetate (631-61-8) Listed on the Canadian DSL (Domestic Sustance WHMIS Classification Acetic Acid (64-19-7) Listed on the Canadian DSL (Domestic Sustance)	5000 lb         Immediate (acute) health hazard         13         5000 lb         Immediate (acute) health hazard         13         5000 lb         Class D Division 2 Subdivision B - Toxic material causing other toxic effects         es List)         Class D Division 2 Subdivision B - Toxic material causing other toxic effects         es List)         Class B Division 3 - Combustible Liquid
Reauthorization Act of 1986 and 40 CFR Part 37 Ammonium Acetate (631-61-8) RQ (Reportable quantity, section 304 of EPA's List of Lists) : SARA Section 311/312 Hazard Classes Acetic Acid (64-19-7) Not listed on the United States SARA Section 31 RQ (Reportable quantity, section 304 of EPA's List of Lists) : 5.2. International regulations ANADA Ammonium Acetate Buffer for Iron WHMIS Classification Ammonium Acetate (631-61-8) Listed on the Canadian DSL (Domestic Sustance WHMIS Classification Acetic Acid (64-19-7) Listed on the Canadian DSL (Domestic Sustance WHMIS Classification	5000 lb         Immediate (acute) health hazard         13         5000 lb         Class D Division 2 Subdivision B - Toxic material causing other toxic effects         es List)         Class D Division 2 Subdivision B - Toxic material causing other toxic effects         es List)         Class B Division 3 - Combustible Liquid         Class E - Corrosive Material

Classification according to Regulation (EC) No. 1272/2008 [CLP]

#### Classification according to Directive 67/548/EEC or 1999/45/EC

Not classified

15.2.2. National regulations

#### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### Acetic Acid (64-19-7)

Listed on the Canadian IDL (Ingredient Disclosure List)

#### 15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

<b>SECTION 16: Other information</b>
--------------------------------------

Other information

: None.

Full text of H-phrases: see section 16:


Hazardous to the aquatic environment — Acute Hazard, Category 3
Serious eye damage/eye irritation, Category 1
Serious eye damage/eye irritation, Category 2A
Flammable liquids, Category 3
Skin corrosion/irritation, Category 1B
Skin corrosion/irritation, Category 2
Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
Flammable liquid and vapour
Causes severe skin burns and eye damage
Causes skin irritation
Causes serious eye damage
Causes serious eye irritation
May cause respiratory irritation
Harmful to aquatic life

NFPA health hazard

NFPA fire hazard

NFPA reactivity

- : 1 Exposure could cause irritation but only minor residual injury even if no treatment is given.
- : 0 Materials that will not burn.
- : 0 Normally stable, even under fire exposure conditions, and are not reactive with water.



#### **HMIS III Rating**

Health	: 1 Slight Hazard - Irritation or minor reversible injury possible
Flammability	: 0 Minimal Hazard
Physical	: 0 Minimal Hazard
Personal Protection	: В

SDS US (GHS HazCom 2012)

Information in this SDS is from available published sources and is believed to be accurate. No warranty, express or implied, is made and LabChem Inc assumes no liability resulting from the use of this SDS. The user must determine suitability of this information for his application.