

Section 1 - Chemical Product and Company Identification

MSDS Name:

Guaiac Tincture

Catalog Numbers:

LC14915

Synonyms:

Company Identification:

LabChem, Inc. 200 William Pitt Way Pittsburgh, PA 15238

Company Phone Number:

(412) 826-5230

Emergency Phone Number:

(800) 424-9300

CHEMTREC Phone Number:

(800) 424-9300

Section 2 - Composition, Information on Ingredients

CAS#	Chemical Name:	Percent
64-17-5	Ethyl alcohol	85.5
67-63-0	Isopropyl alcohol	5
7732-18-5	Water	5
67-56-1	Methyl alcohol	4.75
9000-29-7	Guaiac gum	1.67

Section 3 - Hazards Identification

EMERGENCY OVERVIEW

Appearance: Colorless

Danger! Flammable liquid. May be fatal or cause blindness if swallowed. Causes severe eye irritation. May cause respiratory and digestive tract irritation. May cause skin irritation. May cause central nervous system depression. May cause liver and kidney damage. May cause reproductive and fetal effects. Flash Point: 57°F.

Target Organs: Kidneys, centralnervous system, liver.

Potential Health Effects



Eye:

Causesirritation, characterized by aburning sensation, redness, tearing, inflammation, and possible cornealinjury. Vapors may cause eye irritation. May cause painful sensitization to light.

Skin:

Maycauseskinirritation.Prolongedand/orrepeatedcontactmaycauseirritationand/ordermatitis.Exposuremay cause irritation characterized by redness, dryness, and inflammation.

Ingestion:

Maycauseirritationofthedigestivetract.Symptomsmayinclude:headache,excitement,fatigue,nausea,vomiting, stupor, and coma. May cause systemic toxicity with acidosis. May cause liver and kidney damage. May cause central nervous system depression, characterized by excitement, followed by headache, dizziness, drowsiness, and nausea. Advanced stages may cause collapse, unconsciousness, coma and possible death due to respiratory failure.

Inhalation:

Inhalationofhighconcentrationsmaycausecentralnervoussystemeffectscharacterizedbyheadache,dizziness, unconsciousness and coma.

Chronic:

Chronicinhalationandingestionmaycauseeffectssimilartothoseofacuteinhalationandingestion. Prolongedor repeated skin contact may cause defatting and dermatitis. Denatured ethanol is associated with respiratory irritation, central nervous system depression, visual impairment, dermatitis, conjunctivitis, sensory and motor impairment.

Section 4 - First Aid Measures

Eyes:

Immediately flusheyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower lids until chemical is gone. Get medical aid at once.

Skin:

Getmedicalaidifirritationdevelopsorpersists.Removecontaminatedclothingtoreducefurtherexposure.Rinse area with large amounts of water for at least 15 minutes. Methanol is readily absorbed through the skin.

Ingestion:

Giveconsciousvictim2-4cupfulsofmilkorwater.Nevergiveanythingbymouthtoanunconsciousperson.Get medical aid at once. Induce vomiting by giving one teaspoon of Syrup of Ipecac. Induce vomiting (touch finger to back of throat) keeping head lower than hips (prevent aspiration into lungs). Medical personnel may remove the alcohol through gastric lavage with water or 3-5% sodium bicarbonate solution unless 2 hours or more have elapsed since ingestion.

Inhalation:

Getmedicalaidatonce. Movevictim to freshair immediately. Give artificial respiration if necessary. If breathing is difficult, give oxygen. Keep victim warm, at rest.

Notes to Physician:

Treat symptomatically and supportively.

Section 5 - Fire Fighting Measures

General Information:

Containerscanbuilduppressureifexposedtoheatand/orfire.Asinanyfire,wearaself-containedbreathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear. Vapors can travel to a source of ignition and flash back. Flammable Liquid. Vapor-air mixtures are explosive at temperatures above the flashpoint. Use water spray to keep fire-exposed containers cool. Move container if possible, avoid breathing vapors or dust.



Extinguishing Media:

Forsmallfires, usedrychemical, carbondioxide, watersprayoral cohol-resistant foam.

Autoignition Temperature:

Not applicable.

Flash Point:

57°F (13.89°C)

NFPA Rating:

CAS # 64-17-5 health-0; flammability-3; reactivity-0

CAS # 67-63-0 health-1; flammability-3; reactivity-0

CAS# 7732-18-5: Not published.

CAS # 67-56-1 health-1; flammability-3; reactivity-0

CAS# 9000-29-7: Not published.

Explosion Limits:

Lower: 4.3 Upper: 19

Section 6 - Accidental Release Measures

General Information:

Use proper personal protective equipment as indicated in Section 8.

Spills/Leaks:

WearaselfcontainedbreathingapparatusandappropriatePersonalprotection.(SeeExposureControls,Personal Protection section). Remove all sources of ignition. Absorb spill using an absorbent, non-combustible material such as earth, sand, diatomaceous earth, vermiculite, or other suitable absorbent. Label reclaimed spill material as flammable.

Section 7 - Handling and Storage

Handling:

Washthoroughlyafterhandling.Usewithadequateventilation.Avoidcontactwitheyes,skin,andclothing.Empty containers retain product residue, (liquid and/or vapor), and can be dangerous. Avoid contact with heat, sparks and flame. Avoid ingestion and inhalation. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose empty containers to heat, sparks or open flames.

Storage:

Keepawayfromheat,sparks,andflame.Keepawayfromsourcesofignition.Storeinatightlyclosedcontainer. Store in a cool, dry, well-ventilated area away from incompatible substances. Vapors heavier than air, may travel considerable distance and ignite or explode.

Section 8 - Exposure Controls, Personal Protection

Engineering Controls:

LocalexhaustventilationmaybenecessarytocontrolanyaircontaminantstowithintheirTLVsduringtheuseofthis product. Ventilation equipment must be explosion-proof.

Exposure Limits

Chemical Name:	ACGIH	NIOSH	OSHA
Ethyl alcohol	1000 ppm TWA	1000 ppm TWA; 1900 mg/m3 TWA	1000 ppm TWA; 1900 mg/m3 TWA;



Isopropyl alcohol (400 ppm)

TWA;(500ppm) STEL None of the components

are on this list.

Methyl alcohol 200 ppm TWA;250 ppm

STEL;skin - potential for cutaneous absorption

Guaiac gum None of the components

are on this list.

400 ppm TWA; 980 mg/m3 TWA

None of the components are on this list.

200 ppm TWA; 260 mg/m3 TWA

None of the components

are on this list.

400 ppm TWA; 980 mg/m3 TWA;

None of the components

are on this list. 200 ppm TWA; 260 mg/m3 TWA;

ponents None of the components

are on this list.

OSHA Vacated PELs

Water

Ethyl alcohol: 1000 ppm TWA; 1900 mg/m3 TWA Isopropyl alcohol: 400 ppm TWA; 980 mg/m3 TWA Isopropyl alcohol: 400 ppm TWA; 980 mg/m3 TWA Methyl alcohol: 200 ppm TWA; 260 mg/m3 TWA Methyl alcohol: 200 ppm TWA; 260 mg/m3 TWA

Personal Protective Equipment

Eyes:

Wearappropriate protective eyeglasses or chemicals a fetygoggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133.

Skin

Wearbutylrubbergloves, apron, and/or clothing.

Clothing:

Wearappropriate protective clothing to preventskin exposure.

Respirators:

HighLevels-CCROV/SAR/SCBA.Firefighting-SCBAF:PP,PD.(RespiratorCodes:DHEW(NIOSH)Publication No. 78-210).

Section 9 - Physical and Chemical Properties

Physical State: Clear liquid

Color: ColorlessOdor: Alcohol-like

pH: No information found.

Vapor Pressure: 40 mm Hg @20C

Vapor Density: 1.6

Evaporation Rate: No information found.

Viscosity: No information found. **Boiling Point:** 172°F (77.78°C)

Freezing/Melting Point: -172°F (-113.33°C)

Decomposition Temperature: No information found.

Solubility in water: Soluble. Specific Gravity/Density: 0.8

Molecular Formula: No information found.

Molecular Weight No information found.



Section 10 - Stability and Reactivity

Chemical Stability:

Stableundernormaltemperatures and pressures.

Conditions to Avoid:

High temperatures, incompatible materials, ignition sources, excess heat.

Incompatibilities with Other Materials

Permonosulfuric acid, potassium hypobromite, bromine trifluoride, nitrosyl and nitryl perchlorate, hydrogen peroxides, bromoform, chloroform, nitric acid, sulfuric acid, sulfur dichloride, bromine, acetic acid, platinum, sodium hypoiodite, thiotriazyl perchlorate, hexachloroamine, thiodiglycol, trichloromelamine, chromium trioxide, chromic anhydride, potassium t-butoxide, potassium bichromate, chromyl chloride, acetyl chloride, acetyl bromide, bromine pentafluoride, permanganic acid, potassium dioxide, hydrogen peroxide/sulfuric acid mixes, ammonium hydroxide/silver oxide mixes, hydrogen peroxide/iodine/phosphorous mixes, silver nitrate, silver/nitric acid mix forms explosive compounds, strong oxidizing agents, alkali metals.

Hazardous Decomposition Products

Carbon monoxide, carbon dioxide, formaldehyde.

Hazardous Polymerization

Has not been reported

Section 11 - Toxicological Information

RTECS:

CAS# 64-17-5: KQ6300000. CAS# 67-63-0: NT8050000. CAS# 7732-18-5: ZC0110000. CAS# 67-56-1: PC1400000. CAS# 9000-29-7: ME6260000.

LD50/LC50:

CAS# 64-17-5:

Inhalation, mouse: LC50 =39 gm/m3/4H Inhalation, rat: LC50 =20000 ppm/10H Oral, mouse: LD50 = 3450 mg/kg Oral, rabbit: LD50 = 6300 mg/kg Oral, rat: LD50 = 7060 mg/kg.

CAS# 67-63-0:

Oral, mouse: LD50 = 3600 mg/kg Oral, rabbit: LD50 = 6410 mg/kg Oral, rat: LD50 = 5045 mg/kg Skin, rabbit: LD50 = 12800 mg/kg.

CAS# 7732-18-5:

Oral, rat: LD50 = 90 mL/kg.

CAS# 67-56-1:

Inhalation, rat: LC50 =64000 ppm/4H Oral, mouse: LD50 = 7300 mg/kg Oral, rabbit: LD50 = 14200 mg/kg Oral, rat: LD50 = 5628 mg/kg

Carcinogenicity:

CAS# 64-17-5

ACGIH: A4 - Not Classifiable as a Human Carcinogen



California: Not listed. NIOSH: Not listed. NTP:Notlisted. OSHA:Notlisted. IARC:Notlisted. CAS# 67-63-0

ACGIH: Not listed. California: Not listed. NIOSH: Not listed. NTP:Notlisted. OSHA:Notlisted. IARC: Group 3

CAS# 7732-18-5: Not listed as a carcinogen by ACGIH, IARC, NIOSH, NTP, OSHA, or CA Prop 65. CAS# 67-56-1: Not listed as a carcinogen by ACGIH, IARC, NIOSH, NTP, OSHA, or CA Prop 65. CAS# 9000-29-7: Not listed as a carcinogen by ACGIH, IARC, NIOSH, NTP, OSHA, or CA Prop 65.

Epidemiology:

Prenatal exposure to ethanol is associated with a distinct pattern of congenital malformations that have collectively been termed the "fetal alcohol syndrome". Among the characteristics of this syndrome are intrauterine and postnatal growth deficiency, a disnctive pattern of physical malformation, and behavioral/cognitive impairment such as fine motor dysfunction and mental retardation. Not all affected children have all of the features of the syndrome. Central Nervous System depressant. Alcohol component enhances effect.

Teratogenicity:
Reproductive:
Mutagenicity:
Neurotoxicity:

Section 12 - Ecological Information

No information found.

Section 13 - Disposal Considerations

Dispose of in accordance with Federal, State, and local regulations.

Section 14 - Transport Information

US DOT

Shipping Name: Ethanol solution

Hazard Class: 3
UN Number: UN1170
Packing Group: PG II

Section 15 - Regulatory Information

US Federal



TSCA

CAS# 64-17-5 is listed on the TSCA Inventory.

CAS# 67-63-0 is listed on the TSCA Inventory.

CAS# 7732-18-5 is listed on the TSCA Inventory.

CAS# 67-56-1 is listed on the TSCA Inventory.

CAS# 9000-29-7 is not listed on the TSCA Inventory. It is for research and development use only.

SARA Reportable Quantities (RQ)

CAS# 67-56-1: final RQ = 5000 pounds (2270 kg)

CERCLA/SARA Section 313

Thismaterial contains Isopropylal cohol (CAS#67-63-0,5%), which is subject to the reporting requirements of Section 313 of SARA Title III and 40 CFR Part 373.

This material contains Methyl alcohol (CAS# 67-56-1, 4.75%), which is subject to the reporting requirements of Section 313 of SARA Title III and 40 CFR Part 373.

OSHA - Highly Hazardous

None of the components are on this list.

US State

State Right to Know

Ethyl alcohol can be found on the following state Right-to-Know lists: California, New Jersey, Florida, Pennsylvania, Minnesota, Massachusetts.

Isopropyl alcohol can be found on the following state Right-to-Know lists: California, New Jersey, Florida,

Pennsylvania, Minnesota, Massachusetts.

Methyl alcohol can be found on the following state Right-to-Know lists: California, New Jersey, Florida,

Pennsylvania, Minnesota, Massachusetts.

California Regulations

WARNING: This product contains Ethyl alcohol, a chemical known to the state of California to cause birth defects or other reproductive harm.

WARNING: This product contains Ethyl alcohol, a chemical known to the state of California to cause birth defects or other reproductive harm.

WARNING: This product contains Ethyl alcohol, a chemical known to the state of California to cause birth defects or other reproductive harm.

WARNING: This product contains Ethyl alcohol, a chemical known to the state of California to cause birth defects or other reproductive harm.

WARNING: This product contains Ethyl alcohol, a chemical known to the state of California to cause birth defects or other reproductive harm.

European/International Regulations

Canadian DSL/NDSL

CAS# 64-17-5 is listed on Canada's DSL List.

CAS# 67-63-0 is listed on Canada's DSL List.

CAS# 7732-18-5 is listed on Canada's DSL List.

CAS# 67-56-1 is listed on Canada's DSL List.

Canada Ingredient Disclosure List

CAS# 64-17-5 is listed on Canada's Ingredient Disclosure List.

CAS# 67-63-0 is listed on Canada's Ingredient Disclosure List.

CAS# 7732-18-5 is not listed on Canada's Ingredient Disclosure List.

CAS# 67-56-1 is listed on Canada's Ingredient Disclosure List.

CAS# 9000-29-7 is not listed on Canada's Ingredient Disclosure List.



Section 16 - Other Information

MSDS Creation Date: November 3, 1999 Revision Date: September 19,2008

Information in this MSDS is from available published sources and is believed to be accurate. No warranty, express or implied, is made and LabChem Inc. assumes no liability resulting from the use of this MSDS. The user must determine suitability of this information for his application.